

DOOR HARDWARE

CATALOG

Engineered for Reliability

Professional Hardware
For Residential & Architectural Projects

CONTENTS

01

Brand Story03

02

Product Collection06

03

Supply & Services59

04

Contact61



BRAND STORY

FIXORA is an architectural hardware brand focused on delivering stable, professional-grade hardware solutions for the industry.

Built specifically for distributors, contractors, and project-based procurement, we provide dependable products supported by efficient manufacturing and reliable supply systems.

Through consistent quality, scalable production capacity, and local logistics, FIXORA helps partners build long-term business growth with confidence.



Trade-focused
Brand



Supply Partner



Stable
Distribution



North America
Network



CORE POSITIONING



Trade-focused Brand

Built exclusively for professional distribution channels.



Supply Partner

Reliable hardware solutions for residential and architectural projects.



Stable Distribution Support

Consistent quality and predictable supply for growing markets.



Local Network

Efficient inventory and replenishment for faster delivery.

PRODUCT COLLECTION

Complete architectural hardware solutions for residential and architectural projects.

DOOR HARDWARE

Reliable locking systems designed for everyday performance, security, and durability.



DOOR HARDWARE ACCESSORIES

Complete installation components engineered for smooth operation and long service life.





DOOR HARDWARE

Reliable Locking Solutions

For Residential & Architectural Projects

Front Entry Handle Set



Material :	Zinc alloy panel and lever / Stainless steel handle
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Outside panel:	10-11/32" × 2-9/16" × 33/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB/GD



Front Entry Handle Set



Material :	Zinc alloy panel and lever / Stainless steel handle
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Outside panel:	17"×2-9/16"×33/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB/GD



Front Entry Handle Set



Material :	Zinc alloy panel and lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose	Φ 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Hall & Closet
Finish:	SN / Matte Black / ORB / PB / AB/GD



Front Entry Handle Set



Material :	Zinc alloy panel and lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover	2-9/16" x 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Hall & Closet
Finish:	SN / Matte Black / ORB / PB / AB/GD



Entry Set



Material :	Zinc alloy thumb knob / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB/GD



Entry Set



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB/GD



Entry Set



Material :	Zinc alloy lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16"x2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD




Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16"×2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Stainless steel knob and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder:	Zinc Shell & Brass Core Cylinder
Cover:	2-9/16" × 2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob



Material :	Zinc alloy knob/ aluminum alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	2-9/16"×2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD

STANDARD



PREMIUM



Door Knob



Material :	Zinc alloy knob & cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	2-9/16"×2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD




STANDARD



PREMIUM



Door Knob - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	3-55/64" × 2-41/64"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Knob - Crystal



Material :	Crystal knob/Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover:	Φ2-9/16"
Face plate:	1"x2-1/4" square corner standard
Strike plate:	2-1/4" full lip square corner standard
Door opening direction:	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



Door Lever



Material :	Zinc alloy cover / Aluminum alloy lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD




STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy cover / Aluminum alloy lever
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Aluminum alloy lever / Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16" x 2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Aluminum alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD




STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-3/4"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD




STANDARD



PREMIUM



Door Lever




Material :	Aluminum alloy lever / Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose :	2-9/16" x 2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Aluminum alloy lever / Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD




STANDARD



PREMIUM



Door Lever



Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever




Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever




Material :	Stainless steel lever and cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath;Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



Door Lever



Material :	Stainless steel lever and rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
	Φ2-9/16"
Rose : Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB/GD



STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever / Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
	Φ2-9/16"
Rose : Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry ; Bed & Bath; Hall & Closet; Dummy-R ; Dummy-L
Finish:	SN / Matte Black / ORB / PB / AB / GD

STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever/ Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Aluminum alloy lever/ Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Rose:	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever/ Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-19/32" × 3-5/8"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Door Lever



Material :	Zinc alloy lever/ Stainless steel cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Bed & Bath; Hall & Closet ; Dummy
Finish:	SN / Matte Black / ORB / PB / AB / GD



STANDARD



PREMIUM



Deadbolt



Material :	Stainless steel rose/ Zinc alloy Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function:	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB / GD



Deadbolt



Material :	Stainless steel rose
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Rose :	Φ2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function :	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB / GD



Deadbolt



Material :	Zinc alloy cover
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function :	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB / GD



Deadbolt



Material :	Zinc alloy cover and Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	2-9/16"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function :	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB / GD



Deadbolt



Material :	Zinc alloy cover and Thumb knob
Backset :	Adjustable 2-3/8" or 2-3/4"
Door thickness :	Adjustable from 1-3/8" to 1-3/4"
Cylinder :	Zinc Shell & Brass Core Cylinder
Cover :	3-11/32"x2-9/16"
Face plate :	1"x2-1/4" square corner standard
Strike plate :	2-1/4" full lip square corner standard
Door opening direction :	Fit for right and left hand door
Function :	Keyed Entry
Finish:	SN / Matte Black / ORB / PB / AB / GD





DOOR HARDWARE ACCESSORIES

Complete Components
For Professional Installation



Features


- For wooden frames
- With loose pin
- For flush interior doors
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm


Steel Material thickness 2.15 mm



Fixing

Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	3.5×3.5
Butt Hinge	Steel	SN	3.5×3.5



Features


- For wooden frames
- For flush interior doors
- With loose pin
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm

Steel Material thickness 2.15 mm



Fixing

Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	3.5×3.5
Butt Hinge	Steel	SN	3.5×3.5



Backset :


- For wooden frames
- For flush interior doors
- With loose pin
- Knuckle without ball bearings
- Suitable for left hand and right hand

Technical data

Max. door weight for 3 door hinges 50 kg

Knuckle diameter 11 mm


Steel Material thickness 2.15 mm



Fixing


Cutting depth 2.3 mm

Description	Material	Finish	Size (Inch)
Butt Hinge	Steel	BK	4×4
Butt Hinge	Steel	SN	4×4




SPECIFICATION MP02201

Material	Finsh
Stainless steel	Satin Nickel
Stainless steel	Polished Chrome
Stainless steel	Matte Black




SPECIFICATION MP02104

Material	Finsh
Stainless steel	Satin Nickel
Stainless steel	Polished Chrome
Stainless steel	Matte Black



SPECIFICATION MP01202

Material	Finsh
Zinc alloy	Satin Nickel
Zinc alloy	Polished Chrome
Zinc alloy	Matte Black



SPECIFICATION MP01203

Material	Finsh
Zinc alloy	Satin Nickel
Zinc alloy	Polished Chrome
Zinc alloy	Matte Black



Backset

- Adjustable 2-3/8" or 2-3/4"

Face plate

- 1"x2-1/4" square corner standard

Strike plate


- 2-1/4" full lip square corner standard

Benefit

- Quiet Soft-Close Latch Design
- Heavy-gauge Thick Steel Latch Housing
- Impact Resistant Anti-Deformation
- Upgraded Anti-Pry Protection
- Reinforced Internal Mechanism
- Extended Service Life

Finish:	ET-SN / ET-BK / ET-GD / BK-SN / BK-BK /BK-GD
Sku:	DL970041/ DL970042/ DL970043 / DL970044 / DL970045/DL970046

PREMIUM LATCH



1. Further reinforced mechanical strength
2. Optimized high-performance anti-pry structure
3. Adopts silent noise-reduction materials
4. Greatly extended service life
5. Premium upgraded raw material specification
6. Features officially patented design



STANDARD LATCH



1. Robust mechanical strength
2. Effective anti-pry protection
3. Minimal operational noise during use
4. Proven long-term durability
5. Carefully selected quality raw materials

SUPPLY & SERVICES

FIXORA operates as a professional supply partner for distributors and contractors projects.

We Provide



Stable Supply Chain



North America Inventory



Low MOQ



Fast Logistics



OEM Manufacturing



Private Label Support



Reliable Delivery



Professional Service

WHY CHOOSE FIXORA

Your Reliable Hardware Supply



Stable Supply



Low MOQ



Fast Delivery



OEM & Private Label



Consistent Quality



Professional Support



North America Inventory



LET'S BUILD LONG-TERM SUCCESS TOGETHER.

FIXORA supports distributors, contractors, and project partners with dependable hardware solutions and scalable supply systems.

✉ service@fixora-hardware.com

🌐 www.fixora-hardware.com

FIXORA
Engineered for Reliability

